

Fact Sheet

ALLODIA

Perennial Ryegrass (4n)

Lolium perenne L.

Things to know

Allodia originates from a cross between colchicine treated Swiss ecotype material and the two Dutch varieties Anaconda and Aubisque. From this cross, Allodia was selected for a late heading date over two generations. Allodia, showing 1 day earlier heading than Alligator, is characterized by a high yield potential, good resistance against leaf diseases and an outstanding digestibility. In the official trials from 2009 to 2011, it reached the top overall-ranking among all candidates and varieties of the late maturing segment. Combining Allodia with an early maturing variety ensures swards with a balanced yield-potential over the whole year.

Descent

Base material

Late maturing varieties (Anaconda, Aubisque) crossed with tetraploid breeding material of Agroscope

M0 seed

Row trial 2003 (LP0395) with seed harvest on 9 half-sib families of a polycross with 9 clones

Literature

Suter D.,Hirschi H.-U.,Frick R., 2017. Englisches Raigras: neue Sorten für den Schweizer Kunstfutterbau empfohlen. Agrarforschung Schweiz 8(7), 292-299

Grieder C., Tanner P., Schubiger F.-X., Boller B., 2015. Sechs neue Sorten von Englischem Raigras aus Schweizer Züchtung.
Agrarforschung Schweiz 6(7), 320-327

National listing

Situation in Switzerland

On the Swiss List of Recommended Varieties of Forage Plants since 2013

Situation abroad

DE (Representative: Rudloff, Bad Schwartau)

IU

Agronomic caracteristics

Results of the official Swiss variety trials 2014-2016

(Suter et al. 2017) (4n, spät))

| (Suter et al. 2017) (411, Spat)) | ALLODIA | Mean |
|---------------------------------------|---------|------|
| Yield | 3.5 | 4.9 |
| General impression | 3.3 | 3.5 |
| Juvenile growth | 2.4 | 2.6 |
| Competing ability | 5.6 | 5.7 |
| Persistence | 4.3 | 4.6 |
| Resistance to winter conditions | 4.9 | 4.7 |
| Resistance to leafspots an rust | 3.3 | 3.8 |
| Digestibility of the organic matter | 4.8 | 5.0 |
| Persistence at higher altitudes | 2.9 | 3.2 |
| Index (weighted average of all notes) | 3.9 | 4.3 |

Scoring scale 1 = very good; 5 = medium; 9 = very poor Yield Mean of 4 experimental sites over 2 years Mean Mean value of standard varieties

Description according to UPOV gidelines

DUS test conducted at Scharnhorst, BSA (DE), 2010-2012

| | , , | | |
|---------|--|----------------------------|------|
| UPOV No | Characteristics | State of expression | Note |
| 1 | Ploidy | tetraploid | 4 |
| 5 | Leaf: intensity of green color | medium | 5 |
| 7 | Plant: vegetative growth habit (without vernalization) | semi-erect to intermediate | e 4 |
| 10 | Plant: tendency to form inflorescences (without vernalization) | absent or very weak | 1 |
| 11 | Time of inflorescence emergence (after vernalization) | medium | 5 |
| 14 | Flag leaf: length | medium to long | 6 |
| 15 | Flag leaf: width | broad | 7 |
| | | | |

Version: 16.02.2018

Publisher: Agroscope, Reckenholzstrasse 191, 8046 Zürich In Collaboration with: Delley Seeds and Plants Ltd (DSP), 1567 Delley Editorial Team: Christoph Grieder and Peter Tanner, Agroscope

Copyright: © 2018, Agroscope





Schweizerische Eidgenossenschaft Confédération suisse Confederazione Svizzera Confederaziun svizra

Swiss Confederation

Federal Department of Economic Affairs, Education and Research EAER